

LEGEND

- I. EACH SEDIMENT SAMPLE CONSISTS OF THREE GRAB SAMPLE ALIQUOTS, WHICH WERE COMPOSITED IN A LABORATORY.
- 2. EACH INTERTIDAL SAMPLE LOCATION CONSISTS OF TWO SAMPLES, ONE FROM THE UPPER INTERTIDAL ZONE AND ONE FROM THE LOWER INTERTIDAL ZONE. RESPECTIVE INTERTIDAL SAMPLE ALIQUOTS WERE COLLECTED WITHIN APPROXIMATELY 30 FEET OF EACH OTHER.
- 3. EACH NEARSHORE SUBTIDAL SEDIMENT SAMPLE CONSISTS OF THREE GRAB SAMPLE ALIQUOTS COLLECTED WITHIN APPROXIMATELY 15 FEET OF EACH OTHER.
- 4. EACH MARSH SEDIMENT SAMPLE LOCATION CONSISTS OF THREE GRAB SAMPLE ALIQUOTS COLLECTED WITHIN APPROXIMATELY 15 FEET OF EACH OTHER.



ROJECT:

BI20 OIL SPILL


LOCATION:


BUZZARDS BAY, MASSACHUSETTS

TITLE:

PHASE II SAMPLING SCHEMATIC

DESIGNED:	DRAWN:	CHECKED:	APPROVED:	FIGURE #:
LAC	JMF	KDT	KDT	6
SCALE:	DATE:	FILE:	PROJECT #:	
NTS	5/8/06	PHASEII	3871-002	









Buzzards Bay, MA

