


DRAFT (work in progress)



- Legend**
- Shellfish Sampling Location
 - State-Designated Shellfish Growing Areas


Notes:

1. Data shown (bottom line at each sampling location) are PAH concentrations in shellfish tissue express in ng/wet g.
2. Data shown are the lowest PAH concentrations in tissues from samples collected during the first three rounds of monitoring.
3. The sampling date for the lowest concentration is shown underneath the sampling site identifier.
4. SS = softshell clam; QH = quahog; OY = oyster; SP = bay scallop; BM = blue mussel; SC = surf clam.
5. DMF and ENTRIX decided to discontinue sampling at the two NEWI sampling locations on east side of West Island in Round 3 since samples from BASS locations are in the same cove and at essentially the same locations.



ENTRIX

Figure 21
Shellfish Monitoring Summary
October 31, 2003
Bouchard B No. 120 Oil Spill
Buzzards Bay, MA




Legend

- Shellfish Sampling Location
- State-Designated Shellfish Growing Areas

Notes:

1. Data shown (bottom line at each sampling location) are PAH concentrations in shellfish tissue express in ng/wet g.
2. Data shown are the lowest PAH concentrations in tissues from samples collected during the first three rounds of monitoring.
3. The sampling date for the lowest concentration is shown underneath the sampling site identifier.
4. SS = softshell clam; QH = quahog; OY = oyster; SP = bay scallop; BM = blue mussel; SC = surf clam.
5. DMF and ENTRIX decided to discontinue sampling at the two NEWJ sampling locations on east side of West Island in Round 3 since samples from BASS locations are in the same cove and at essentially the same locations.



ENTRIX


Figure 23
Shellfish Monitoring Summary
October 31, 2003
Bouchard B No. 120 Oil Spill
Buzzards Bay, MA

DRAFT (work in progress)



Legend
 ● Shellfish Sampling Location
 - State-Designated Shellfish Growing Areas

Notes:
 1. Data shown (bottom line at each sampling location) are PAH concentrations in shellfish tissue express in ng/wet g.
 2. Data shown are the lowest PAH concentrations in tissues from samples collected during the first three rounds of monitoring.
 3. The sampling date for the lowest concentration is shown underneath the sampling site identifier.
 4. SS = softshell clam; QH = quahog; OY = oyster; SP = bay scallop; BM = blue mussel; SC = surf clam.
 5. DMF and ENTRIX decided to discontinue sampling at the two NEWI sampling locations on east side of West Island in Round 3 since samples from BASS locations are in the same cove and at essentially the same locations.



ENTRIX
 Figure 22
 Shellfish Monitoring Summary
 October 31, 2003
 Bouchard B No. 120 Oil Spill
 Buzzards Bay, MA

DRAFT (work in progress)



Legend

- Shellfish Sampling Location
- State-Designated Shellfish Growing Areas

Notes:

1. Data shown (bottom line at each sampling location) are PAH concentrations in shellfish tissue express in ng/wet g.
2. Data shown are the lowest PAH concentrations in tissues from samples collected during the first three rounds of monitoring.
3. The sampling date for the lowest concentration is shown underneath the sampling site identifier.
4. SS = softshell clam; QH = quahog; OY = oyster; SP = bay scallop; BM = blue mussel; SC = surf clam.
5. DMF and ENTRIX decided to discontinue sampling at the two NEWJ sampling locations on east side of West Island in Round 3 since samples from BASS locations are in the same cove and at essentially the same locations.

0 2.5 5 Miles



ENTRIX

Figure 24
 Shellfish Monitoring Summary
 October 31, 2003
 Bouchard B No. 120 Oil Spill
 Buzzards Bay, MA